

DEMCO 850 Gallon Big Wheel Sprayer with 80/90' Boom – Call for quote

Features

- The 850-gallon polyethylene tank has a 16" flip-top lid and two high volume jet agitators. Its molded-in trough drains spills to rear of sprayer.
- MT-3405F II controller
- 120-gallon rear mounted rinse tank
- 2½ gallon hand wash tank
- ¼" steel-formed frame with 30" ground clearance, reducing crop damage
- Fold-away ladder provides easy access to the large work platform for added safety when filling tank
- One of the shortest "hitch pin to axle" lengths in the industry – 140"
- 7000 lb. tongue jack
- Large storage compartment conveniently located for storing extra nozzles, clamps, etc.
- Single tube hitch frame allows for improved turning. The cast hitch can be adjusted vertically in 1½" increments
- 5" x 5" axle with 90" to 144" infinite adjustment and 3" bolt-in spindles
- 13.6 x 38 bias tires with 38" wheels
- 50 mesh main filter and 80 mesh feeder line filters prevent tip plugging
- 2" quick couplers for bottom filling tanks
- The hydraulic front fold booms feature a nitrogen charged accumulator system combined with leveling linkage and shock absorbers to soften the ride. Live hydraulic control block requires only one set of remote outlets to perform all boom functions.
- Booms feature wing fold, hydraulic height adjust, independent wing leveling and outer wing breakaway
- Boom can be folded to spray in a 60' or an unfolded 80'/90' width
- Boom folds to a transport width of 12'
- Light system consists of flasher/turn signal and taillights for added road safety
- Unique hydraulic glide suspension system makes the boom wings weightless. Guide wheels activate the hydraulic system and automatically adjust for uneven terrain. Guide wheels have puncture proof tires (optional).
- Tractor must be equipped with closed center hydraulic system.



Note: Sprayer is less spray tips. Factory setup is standard. All sprayer plumbing is tested to 90 PSI.

DEMCO 850-Gallon Big Wheel Sprayer with 66' Boom – Call for quote

Features

- The 850-gallon polyethylene tank has a 16" flip-top lid and two high volume jet agitators. Its molded-in trough drains spills to rear of sprayer
- Motorized ball valves
- 120-gallon rear mounted rinse tank
- 2½ gallon hand wash tank
- ¼" steel-formed frame with 30" ground clearance, reducing crop damage.
- Fold-away ladder provides easy access to the large work platform for added safety when filling tank
- One of the shortest "hitch pin to axle" lengths in the industry – 140"
- 7000 lb. tongue jack
- Large storage compartment conveniently located for storing extra nozzles, clamps, etc.
- Single tube hitch frame allows for improved turning. The cast hitch can be adjusted vertically in 1½" increments
- 5" x 5" axle with 60" to 120" or 90" to 144" infinite adjustment and 3" bolt-in spindles
- 13.6 x 38 bias tires with 38" wheels
- 50 mesh main filter and 80 mesh feeder line filters prevent tip plugging
- 2" quick couplers for bottom filling tanks
- The hydraulic front fold booms feature a nitrogen charged accumulator system combined with leveling linkage and shock absorbers to soften the ride. Live hydraulic control block requires only one set of remote outlets to perform all boom functions.
- Booms feature independent wing fold, hydraulic height adjust, wing leveling and outer wing breakaway
- Boom folds to a transport width of 9'6"
- Light system consists of flasher/turn signal and taillights for added road safety.



Note: Sprayer is less spray tips. Factory setup is standard. All sprayer plumbing is tested to 90 PSI.

3-POINT HITCH SPRAYERS

60-Gallon Category I

- 60-gallon tank
- 12-volt pump 4.9
- Boomless nozzle with right and left coverage
- Great unit for spot spraying noxious weeds and small pastures



As Pictured - \$839.00*

With 6-roller PTO pump – \$899.00*

Option: 25' hose and GES505 handgun – Add \$90*

60-Gallon Category I

- 60-gallon tank
- 12' break away boom
- Manual boom control
- 3 gpm 12-volt pump
- Electric on and off from cab
- Great unit for large lawns, athletic fields, small pastures



As Pictured - \$829.00*

With 6-roller PTO pump – \$899.00*

Option: 25' hose and GES505 handgun – Add \$90*

75-Gallon Category I

- 75-gallon tank
- 12-volt 5.0 gpm pump (requires 17 amps)
- 18' break away boom
- 2-section manual control
- Electric on/off from cab



\$1,269.00*

With 6-roller PTO pump - \$1,379.00*

Option: 25' hose and GES505 handgun – Add \$90*

75-Gallon Category I

- 75-gallon tank
- 12-volt 5.0 gpm pump (requires 17 amps)
- 30' swath (15' right, 15' left)
- 2-section manual control
- Electric on/off from cab

\$1,275.00*

With 6-roller PTO pump – \$1,375*

Option: 25' hose and GES505 handgun – Add \$90.00*

Demco 150-Gallon Category I & II

- Boomless nozzle with right/left control
- 30' swath
- Electric controls
- PTO mounted 6-roller pump
- Agitation
- Excellent sprayer for noxious weeds and pasture spraying



\$2,765.00*

Option: 50' of high pressure hose and GES505 handgun – add \$145.00*

Demco 150-Gallon Category I & II

- 28' boom
- Agitation
- 3-section electric control
- PTO mounted 6-roller pump




\$3,290.00*

Option: 50' of high pressure hose and GES505 handgun – Add \$145.00*

Demco 300-Gallon 3-Point Hitch Sprayer

- 300-gallon tank with agitation
- Hydraulic driven pump
- 60' boom with shock kit
- Hydraulic wing lifts
- 3-section electric controls



\$8,782.00*

Options:

- 50' hose and GES505 handgun – Add \$145.00*
- Foam marker, Micro Trak spray monitor available

Demco 300-Gallon 3-Point Hitch Sprayer

- 300-gallon tank with agitation
- 8-roller PTO pump
- 40' boom with shock mount kit
- 3-section electric solenoid

\$6,900.00*

Option: 50' hose and GES505 handgun – Add \$145.00*

Demco 300 Gallon Trailer Sprayer – \$6,990.00*

- 40' Truss Boom
- Shock mount kit
- 11L x 15 8-ply tires
- PTO mounted 8-roller pump
- 3-way electric controls
- Includes one set of tips

Options

- 50' of high pressure hose and GES-505 handgun – Add \$145.00*
- Hydraulic wing leveling – Add \$502.00*



Demco 300 Gallon Trailer Sprayer – \$5,990.00*

- Boomless nozzle (Boominator)
- 3-section electric controls
- PTO mounted 6-roller pump
- Excellent unit for noxious weeds, pasture spraying, or small fires
- 50' of high pressure hose and GES-505 handgun – Add \$145.00*
- 3-section 36' swath
- 11L x 15 8-ply tires

Demco 500 Gallon Trailer Sprayer – \$16,625.00*

- Big wheel sprayer – 62'
- Adjustable axle
- Hydraulic driven pump
- Motorized ball valves
- 60' floating boom
- Hydraulic boom levelers

Options

- Foam marker, hose and handgun, GPS, MicroTrak sprayer monitors, 55-gallon flush kit



Warne Chemical & Equipment Pickup Sprayer \$8,270.00*

- 45' Demco flotation boom
- 300-gallon poly tank with hydraulic agitation
- GX200 Honda engine with centrifugal pump
- In-cab electric controls

Options

- Foam marker, hose and handgun, GPS, MicroTrak spray monitors



Warne Chemical & Equipment Pickup Sprayer 300 Gallon – \$9,900.00*

- 60' Demco floating boom
- 300-gallon tank with hydraulic agitation
- GX200 Honda pump & engine with electric start
- In-cab electric controls

Options

- Foam marker, hose and handgun, GPS, MicroTrak spray monitors
- 500-gallon tank – Add \$625

GENERAL PURPOSE SKID MOUNTED SPRAYERS

Designed for space saving front mount in pickup and mount in front of wheel wells



Model 100PC0-4 – \$2,175.00*

Standard Features

- 100 gallon poly tank
- GC160 Honda engine
- Diaphragm pump 350 psi 7 gpm
- Manual hose reel
- 200' of 3/8" high pressure hose
- GES handgun



Model WC200PC0-4 – \$2,395.00*

Standard Features

- 200 gallon poly tank
- GC160 Honda engine
- Diaphragm pump 350 psi 7 gpm
- Manual hose reel
- 200' of 3/8" high pressure hose
- GES handgun

Options for Above Units

- Electric reel for 300' of 1/2" hose Add \$412.00*
- GX160 Honda engine Add \$250.00*
- Hydraulic agitation Add \$ 87.50*
- 3-gallon clean water tank Add \$ 77.00*
- 4-way roller guide Add \$207.00*
- 15' power lead w/30 amp breaker Add \$ 52.00*



Model 100PC0-10 – \$2,989.00*

Standard Features

- 100 gallon poly tank
- GC190 Honda engine
- Diaphragm pump 560 psi 10 gpm
- Manual hose reel
- 200' of 1/2" high pressure hose
- GES handgun



Model 200PC0-10 – \$3,100.00*

Standard Features

- 200 gallon poly tank
- GC190 Honda engine
- Diaphragm pump 560 psi 10 gpm
- Manual hose reel
- 200' of 1/2" high pressure hose
- GES handgun

- Additional 1/2" high pressure hose Add \$ 1.15/ft*
- Additional 3/8" high pressure hose Add \$ 0.92/ft*
- Root Feeder Add \$279.00*
- Oil Drainzit Add \$ 17.95*
- Quick coupler disconnect at hose/handgun Add \$ 32.00*

Model 200LC – Designed for maximum space utilization in a pickup for low pressure weed spraying and liquid lawn care – \$2,799.00*

Standard Features

- 200 gallon poly tank
- Manual Hose Reel
- GX160 Honda engine with centrifugal pump
- 200' of 300 psi hose
- Lawn care handgun

Options

- Electric reel for 300' of 1/2 " hose Add \$410.00*
- 3 gallon clean water tank Add \$ 77.00*
- Additional 1/2" hose Add \$.92/ft*
- Oil Drainzit Add \$ 17.95*

SPRAYERS

ECONO SKID MOUNTED SPRAYER – \$1875.00*

- 200 Gallon general use sprayer
- Poly tank
- 160 cc B&S Intec engine
- 8-Roller pump, 300 psi max
- Manual reel and 150' of high pressure hose and GES505 handgun
- Unit can be used for weed spraying, fire fighting, cattle spraying, etc.
- Option: GX160 Honda engine – add \$275.00*



RANGE AND PASTURE SPRAYER – \$3,757.00*

- 200 Gallon elliptical low profile tank
- Skid mounted
- GX200 Honda pump unit
- Spray bar and boomless nozzles – 36' of coverage, right and left boomless nozzles, center section boom
- Electric cab controls
- Manual hose reel and 100' of 1/2" hose mounted above pump and engine unit
- JD9 handgun

Options

- 300 Gallon elliptical tank – add \$240.00*
- 400 Gallon elliptical tank – add \$361.00*
- 500 Gallon elliptical tank – add \$542.00*
- Electric ball valve – add \$392.00*
- Electric hose reel – add \$412.00*
- Spray monitor and controls – add \$1571.00*
- Mounting and wiring at our facility – add \$275.00*
- Drainzit – add \$17.95*



40-GALLON “BULLDOG” TRAILER SPRAYER – \$859.00*

- 40-gallon poly tank
- 12-volt 3 gpm pump
- Toggle switch control box (for pump on/off)
- Single Econo Boom-i-nator nozzle 12' – 16' coverage
- Large 20 x 10 x 8 tires
- Low speed, sealed axle bearings
- Pin hitch
- 15' hose and premium handgun



60-GALLON ECONO SPRAYER – \$990.00*

Features

- 60-gallon poly tank
- Higher pressure 12-volt pump – up to 220 psi
- Manual hose reel with 50' of hose
- Adjustable pattern handgun

Uses

- Pest control
- Tree spraying
- Weed spraying

Options

- GES505 Handgun for tree spraying – Add \$60.00*



68 GALLON PEST CONTROL SPRAYER – \$1,950.00*

- Low profile poly tank
- 127cc Briggs & Stratton Engine
- Six roller pump
- Manual hose reel (mounted to discharge out rear of skid)
- 150' of 3/8" high pressure hose
- Pistol grip variable pattern handgun
- Glycerin filled gauge, line strainer, pressure control valve
- Hydraulic jet agitation
- Fits in mid and full size pickups, lengthways or crossways.
- Designed for the professional pest control industry
- 46" wide x 49" long x 33" tall

Options

- 12-volt electric reel (in place of manual reel) – Add \$412.00*
- Oil Drainzit – Add \$17.95*
- Additional 3/8" high pressure hose – Add \$0.97 per foot*
- Quick coupler disconnect at hose and handgun – Add \$21.00*
- GX160 Honda 6:1 gear reduction engine (in place of 127cc Briggs & Stratton engine) – Add \$250.00*
- Air gap fill system – Add \$75.00*
- 15' Power lead w/30 amp breaker – Add \$52.00*

- High pressure (150 psi/1.5 gpm) 12-volt pump (in place of standard pump/engine) – Deduct \$458.00
- Diaphragm pump (350 psi/7 gpm) coupled to GX160 Honda engine (in place of standard pump/engine) – Add \$640.00*



GENERAL PURPOSE COMMERCIAL SPRAYING UNIT WITH PICKUP STYLE TANK

Choice of 300 or 400-gallon poly tank designed to utilize only 4.5' of pickup bed. Pump/engine unit and reel mount on tank. Tank does not completely evacuate due to flat bottom design.

Unit Specifications

<p>WC 300/400-10 GC \$3,694.00*</p> <ul style="list-style-type: none"> • 300 or 400-gallon pickup tank • GX160 Honda engine • Diaphragm pump 10.5 gpm 560 psi • Manual hose reel • 200' of 1/2" hose • JD9C handgun • Hydraulic agitation • General purpose spraying 	<p>WC 300/400-15 GC \$3,900.00*</p> <ul style="list-style-type: none"> • 300 or 400-gallon pickup tank • GX160 Honda engine • Diaphragm pump 15.5 gpm 350 psi • Manual hose reel • 200' of 1/2" hose • JD9C handgun • Hydraulic agitation • Lawn care, industrial weed, and general purpose spraying
<p>WC 300/400-10 GXC \$3,378.00*</p> <ul style="list-style-type: none"> • 300 or 400-gallon pickup tank • GX200 Honda engine • Self priming centrifugal pump • Manual hose reel • 200' of 1/2" hose • JD9C handgun • Hydraulic agitation • Lawn care and low pressure spraying 	<p>WC 300/400-15 GX8 \$4,590.00*</p> <ul style="list-style-type: none"> • 300 or 400-gallon pickup tank • GX240 Honda electric start engine • Diaphragm pump 15.5 gpm 560 psi • 200' of 1/2" hose • JD9C handgun • Hydraulic agitation • Tree spraying, pest control and high pressure spraying



Options


- 12-volt electric reel – Add \$412.00*
- 4-way hose roller guide assembly – Add \$207.00*
- Oil drainzit for Honda engine – Add \$17.95*
- Braglia long range handgun – Add \$105.00*
- Deep root feeder attachment – Add \$279.00*
- Additional 1/2" high pressure hose – Add \$1.15* per foot
- Additional 1/2" low pressure hose – Add \$0.92* per foot
- Electric start for Honda engine – Add \$250.00*
- 15' power lead with 30 amp breaker – Add \$52.00*

GENERAL PURPOSE WEED SPRAYER WITH BOOMLESS NOZZLES

- 200-gallon skid mount
- 160 cc Briggs & Stratton engine
- 8 roller pump
- Boomless nozzles - 36' swath, 18' each **\$2,390.00***
- Side, r/l electric controls from cab
- High/low pressure control
- High pressure for hand gun spraying, fire fighting
- Low pressure for boomless nozzle
- 50' hose and trigger operated handgun
- Unit is designed for pickup or trailer mount
- Works well for noxious weeds and pasture spraying

Options:

- M10-5 hose-reel and 100' of 3/8" high pressure hose - add **\$306.00***
- GX160 Honda engine – ADD \$275.00*



HIGH PRESSURE GENERAL PURPOSE SPRAYER

Weed Spraying, Tree Spraying, Fire Fighting, Washing, Etc...

This sprayer is designed to serve as a high pressure sprayer performing from 30 to 560 psi at 15.5 gpm.

SPECS ON BASIC UNIT:

- 150 Gallon Poly Tank
- Hydraulic Agitation
- GX240 Honda engine
- Skid Mounted for Truck or Trailer
- Diaphragm Pump, producing 560 PSI at 15.5 GPM
- 100' of 1/2" High Pressure Hose
- 800 PSI
- 43H Brass Handgun w/Long Range Tip

ASSEMBLED & OPERATIONAL \$3,200.00*

HIGH VOLUME UNIT:

- 150 Gallon Poly Tank
- Hydraulic Agitation
- GX340 Honda Engine
- Skid Mounted for Truck or Trailer
- Diaphragm Pump Producing 560 PSI at 19.5 GPM
- 100' of 5/8" High Pressure Hose
- Braglia Long Distance Handgun

ASSEMBLED & OPERATIONAL \$4,100.00*



CUSTOM MADE UNITS AVAILABLE

Options:

	ADD
• 200 Gallon Poly Tank	\$127.00*
• 300 Gallon Poly Tank	250.00*
• 300 Gallon Elliptical Tank	431.00*
• 500 Gallon Poly Tank	512.00*
• 500 Gallon Elliptical Tank	684.00*
• Electric Start Option, B & S or Honda	242.00*
• Braglia Long Distance Handgun	140.00*
• Additional 800 PSI Spray Hose 1/2"	2.19*
• Additional 800 PSI Spray Hose 5/8"	2.70*
• Deep Root Feeder Attachment	279.00*
• High Pressure Manual Reel	256.00*
• High Pressure Electric Reel	697.00*
• High Pressure Manual Reel 3/4"	366.00*
• High Pressure Electric Reel 3/4"	762.00*
• High Pressure Quick Coupler Disconnects	27.00*
• 4-Way Hose Roller System	207.00*
• Above Pump and Engine Hose Reel Mount	75.00*
• Camlock Bottom Fill Kit	76.00*
• 3 Gallon Clean Water Tank	77.00*
• Oil Drainzit for Honda	17.95*
• 15' Power lead w/30 amp breaker	52.00*

OTHER OPTIONS: (Please Inquire):

- Fiberglass Tanks, Trailer Mounted Unit, Pump and Engine Units up to 26 gpm at 600 psi.

TRAILER SPRAYER FOR TURF AND ORNAMENTAL INDUSTRY, 300 and 500 GALLON SIZES

Tree sprayer equipped with 300 gallon poly tank with baffle and double dual hydraulic agitation, GX240 Honda engine, diaphragm pump 15.5 gpm at 560 psi, manual hose reel with 300' of 1/2" 800 psi hose, 5000 pound tandem axles with electric brakes, lights, 2-5/16" ball hitch, jack stand, rear loading stand and safety rail.

Model WCTR8055 **\$7,500.00***

Lawn unit equipped as above with GX270 Honda engine and centrifugal pump with pressures up to 140 psi and lawn care handgun.

Model WCTR9051 **\$6,500.00***

OPTIONS:

- 500 gallon fiberglass tank with full baffle – Add \$2,700.00*
- Electric start for GX240 Honda engine – Add \$242.00*
- Electric start for GX270 Honda engine – \$310.00*
- Heavy duty 50 amp plug install – Add \$65.00*
- Electric reel – Add \$466.00*
- Reel Rack as pictured – Add \$92.00*
- Roller kit for reel – Add \$207.00*
- Root feeder – Add \$279.00*
- Oil Drainzit – Add \$17.95*
- Clean Water tank – Add \$77.00*
- Bottom fill kit – Add \$76.00*



Please inquire about configurations and pricing for units requiring a GX390 and GX630 Honda engine for taller tree spraying.

150, 200 AND 300 GALLON SKID MOUNTED HIGH PRESSURE SPRAYERS

For Weed Spraying, Cattle Spraying, Fire Fighting,
Tree Spraying, Washing Equipment, Etc.



Standard Features:

- Heavy Duty Skid
- Diaphragm Pump
- Polyethylene tank
- 560 psi, 10 gpm
- 205CC engines
- Trigger operated handgun
- 50' of high pressure hose

150 Gallon with 205 CC B&S Engine \$1,993.00*
200 Gallon with 205 CC B&S Engine \$2,047.00*
300 Gallon with 205 CC B&S Engine \$2,252.00*


Options:

- | | |
|--------------------------------------|-----------|
| • Unit above with GC160 Honda Engine | \$100.00* |
| • Unit above with GX160 Honda Engine | 250.00* |
| • Reel and Mount | 355.00* |
| • Additional Hose | 1.15/ft.* |
| • Hydraulic Agitation | 87.50* |

ADD

COMMERCIAL WEED SPRAY UNIT

Weed Spraying, Boom Buster Nozzles, Lawn Care



This sprayer is designed for lower pressure, higher volume application. Pressure from 20 to 115 psi with high volume of spray solution.

SPECS ON BASIC UNIT:

- * 150 Gallon Poly Tank
- * Skid Mounted for Truck or Trailer
- * Lawn Applicator Handgun
- * 100' of 1/2" Vinyl Coated Hose 300 PSI
- * GX200 Honda Engine
- * Hi VOL Pump Producing 115 psi
- * Hydraulic Agitation

ASSEMBLED & OPERATIONAL \$2,420.00*

Options:

- | | |
|---|--------------|
| * 200 Gallon Poly Tank | \$127.00* |
| * 300 Gallon Poly Tank | 250.00* |
| * 200 Gallon Elliptical Tank | 258.00* |
| * 300 Gallon Elliptical Tank | 431.00* |
| * 500 Gallon Elliptical Tank | 684.00* |
| * Electric Start | 298.00* |
| * Manual Hose Reel | 256.00* |
| * Electric Hose Reel | 661.50* |
| * Above Pump and Engine Hose Reel Mount | 95.00* |
| * Additional Hose, 300 PSI | .92/ft* |
| * Bottom Fill Kit | 118.00* |
| * 3 Gallon Clean Water Tank | 77.00* |
| * 4-Way Hose Roller System | 207.00* |
| * Oil Drainzit for Honda | 17.95* |
| * 15' Power Lead w/30 Amp Breaker | Add \$52.00* |

ADD

PICKUP MOUNTED LIQUID APPLICATOR FOR DE-ICING AND ANTI-ICING



- 300 Gallon PCO tank with baffles, skid mounted
- GC160 Honda engine with 2" pump
- Single boom behind vehicle
- Electric on/off from cab
- Pump unit can be used to fill tank
- All components are corrosion resistant for magnesium chloride

Basic unit cost \$2,999.00*


OPTIONS AVAILABLE

150 GALLON TANK (NO BAFFLE).....	DEDUCT	\$ 180.00
200 GALLON TANK (NO BAFFLE).....	DEDUCT	82.00
500 GALLON ELLIPTICAL TANK (NO BAFFLE).....	ADD	509.00*
GX160 HONDA ENGINE.....	ADD	110.00*
12 VOLT ON/OFF FROM CAB, 3 section control	ADD	368.00*
BOTTOM FILL KIT w/incoming strainer.....	ADD	118.00*
8' BOOMLESS NOZZLE WITH ELECTRIC CONTROL (RIGHT).....	ADD	430.00*
8' BOOMLESS NOZZLE WITH ELECTRIC CONTROL (LEFT)	ADD	430.00*
HOSE AND HANDGUN KIT	ADD	175.00*
AUTOMATIC FLOW CONTROL	ADD	1333.00*
OIL DRAINZIT	ADD	17.95*
REEL WITH 100' HOSE AND HANDGUN.....	ADD	390.00*

*LARGER UNITS AVAILABLE – INQUIRE
CUSTOM BUILT UNITS AVAILABLE – INQUIRE*

GENERAL PURPOSE SPRAYERS

150 GALLON GENERAL PURPOSE SPRAYER



\$1,290.00*


STANDARD FEATURES

- GES 505 Handgun with 50' of hose
- Pressure up to 250 psi
- 6-Roller Pump
- 127 CC Briggs & Stratton Engine

OPTIONS

- Hydraulic Agitation Add \$87.50*
- M20-5 Hose Reel
and additional 100' of hose Add \$250*

55 GALLON GENERAL PURPOSE SPRAYER



STANDARD FEATURES

- Wrap around frame
- GES 505 Handgun
- 25' hose
- 125 psi

With the following pump and engine unit:

- 160 GC B&S engine roller pump 125 psi \$ 799.00*
- GX120 Honda engine w/4 roller pump 125 psi 1050.00*
- GX50 Honda engine
w/centrifugal pump 64 psi 1150.00*
- 4.9 gpm 12 volt pump 45 psi 681.00*

OPTIONS

- Double Boominator with electric valve Add 480.00*
- Hose reel and 100' of 3/8" hose Add 296.00*



CHEMICAL MIXING UNIT

Designed to transfer and mix water or liquid fertilizer from supply tank to spray applicator. Takes the work out of hauling dry ammonium sulfate and other chemicals to the top of sprayer for mixing.

- 60 Gallon inductor cone tank
- Fills and mixes in cone
- Stinger for extracting out of shuttles or barrel to container
- Garden hose attachment for washing and rinse
- Garden and/or nozzle, or jet rinser not included
- Take the labor out of measuring, mixing, and liquid transfer!


- GC160 Honda engine with 2" pump unit \$1,290.00***
- GX160 Honda engine with 2" pump unit \$1,490.00***
- 2 HP electric 115/220 with 2" pump unit \$1,530.00***

25 GALLON ESTATE SPRAYER

This pull type sprayer features a fused 12 volt diaphragm pump and bypass pressure control. 80" Boom coverage is provided by two flood-jet nozzles. 15" Poly trigger-jet hand wand with adjustable nozzle is standard.

500 ESO25

\$395.00*



GENERAL PURPOSE TRAILER SPRAYERS

- 200 GALLON TANK • 15" TIRES • 2" BALL HITCH
- 3300 LB PAY LOAD • LIGHTS

GENERAL PURPOSE SPRAYER FOR TREES AND ORNAMENTALS, WEED CONTROL, FIRE FIGHTING, LIVESTOCK SPRAYING, ETC

MODEL WC2005540 - \$3,473.00*
EQUIPPED WITH GC160 HONDA ENGINE, DIAPHRAGM PUMP 560 PSI
10 GPM, 50' HIGH PRESSURE HOSE AND GES TRIGGER OPERATED HAND GUN



OPTIONS FOR ABOVE UNITS

- | | |
|---|---------------|
| • GX160 HONDA SERIES ENGINE | ADD \$250.00* |
| • MANUAL REEL WITH 200' OF HIGH PRESSURE HOSE | ADD \$494.00* |
| • HYDRAULIC AGITATION | ADD \$ 87.50* |
| • ROOT FEEDER | ADD \$279.00* |
| • ELECTRIC REEL, 200' HIGH PRESSURE HOSE | ADD \$859.00* |
| • 50 AMP ELECTRICAL CONNECTOR | ADD \$ 68.00* |

GENERAL PURPOSE SPRAYER FOR LAWN CARE, TURF, WEED CONTROL, ETC.

MODEL WC20055.5HCL - \$2,831.00*
EQUIPPED WITH GX160 HONDA ENGINE, CENTRIFUGAL SPRAY PUMP, 50' OF HOSE AND GES TRIGGER OPERATED
HAND GUN

OPTIONS FOR ABOVE UNIT

- | | |
|---|---------------|
| • MANUAL REEL WITH 200' OF 300 PSI HOSE | ADD \$485.00* |
| • LAWN CARE HAND GUN | ADD \$ 25.00* |
| • HYDRAULIC AGITATION | ADD \$ 87.50* |
| • 18' FOLD BOOM WITH RATCHET VALVE CONTROL | ADD \$410.00* |
| • DOUBLE BOOMINATORS WITH RATCHET VALVE CONTROL | ADD \$390.00* |
| • DOUBLE BOOMINATORS WITH ELECTRIC SOLENOID CONTROL | ADD \$575.00* |
| • ELECTRIC REEL, 200' HIGH PRESSURE HOSE | ADD \$859.00* |
| • 50 AMP ELECTRICAL CONNECTOR | ADD \$ 68.00* |

100 GALLON PULL TYPE SPRAYER

- FOR USE ON TURF, PASTURE, GENERAL PURPOSE SPRAYING
- DESIGNED TO BE PULLED BEHIND ATV OR GARDEN TRACTOR
- UNIT INCLUDES 100 GALLON POLY TANK, 25' HOSE AND GES HANDGUN, SOLID AXLE WITH GREASEABLE SPINDLE BEARINGS, 20 X 10 X 10 TURF TIRES.

PUMP OPTIONS WITH THIS UNIT

- | | |
|--|------------|
| • 12 VOLT 4.9 GPM PUMP (REQUIRES MINIMUM OF 12 AMPS) | \$1399.00* |
| • GX50 HONDA ENGINE WITH ACE CENTRIFUGAL PUMP | \$1999.00* |
| • GX120 HONDA ENGINE WITH FOUR ROLLER PUMP | \$1999.00* |



OPTIONS FOR THIS UNIT

- | | |
|---|-----------------|
| • 18' REAR FOLDING BOOM WITH 2 SECTION PLUMBING, DOUBLE SOLENOID CONTROL AND SWITCH BOX | ADD \$488.00* |
| • DOUBLE BOOMINATOR NOZZLES WITH LEFT AND RIGHT ON/OFF VALVES GIVES 30' SWATH | ADD \$480.00* |
| • 6 GALLON FOAM MARKER MOUNTED | ADD \$780.00* |
| • MANUAL HOSE REEL MOUNTED | ADD \$395.00* |
| • DOUBLE SOLENOID CONTROL WITH SWITCH BOX | ADD \$345.00* |
| • ADDITIONAL HIGH PRESSURE HOSE | ADD \$ 0.92/ft* |
| • SPARE TIRE AND WHEEL | ADD \$109.00* |

Warne Chemical & Equipment

2680 Commerce Rd. • Rapid City, SD 57702

1-800-658-5457 605-342-7644

605-342-4036 Fax

www.warnechemical.com



GENERAL PURPOSE UTILITY VEHICLE SPRAYERS DESIGNED TO FIT IN THE BACK OF 4X4 AND 6X6 ALL TERRAIN VEHICLES

100-Gallon UTV Sprayer – \$2,050.00

- 100-gallon low profile tank with sump for complete draining
- 8" fill well
- Self-priming centrifugal pump with GX50 Honda engine (not recommended for fertilizer)
- Double Boominator nozzles with 30' swath (15' right & 15' left)
- Electric control from cab
- 15' hose and handgun
- 48" wide x 48" long x 26" high to top of tank
- Unit fits in most large UTV's, low center of gravity and compact

Options:

- Baffles – Add \$74.70
- Manual reel and 100' of pesticide resistant 3/8" hose – Add \$349.00




- Hydraulic agitation – Add \$87.50

110-Gallon Low Profile Unit – \$2,450.00

- Low profile tank design
- Skid base dimensions of 48" wide x 49" long x 20" high to top of tank
- 12-volt quad sensor pump
- Pistol grip variable pattern handgun
- Dual boomless spray nozzles with 34' coverage
- Toggle switch control box (for cab control of boom on/off)
- Fits John Deere, Kawasaki Mule, and many other vehicles

Options:

- 18' rear fold boom in place of boomless nozzles – No charge
- Manual reel with 100' of 3/8" hose – Add \$349.00
- GX120 Honda engine, 4-roller pump – Add \$692.00



75-Gallon Low Profile Unit – \$2,190.00

- Skid base dimensions of 39" wide x 49" long x 23" high to top of tank (to top of lid 29")
- Double Boominator tips right and left
- Fits in JD Gator, Kawasaki Mule, and many other vehicles
- 12-volt quad sensor pump
- 15' hose
- Pistol grip variable pattern handgun

Options:

- GX120 Honda engine, 4-roller pump – Add \$692.00
- Manual reel with 100' of 3/8" hose – Add \$349.00



55-Gallon Low Profile Unit – \$1,690.00

- Fits in cargo boxes of most utility vehicles
- 12-volt quad sensor pump
- Double Boominator tips
- Electronic on/off right/left
- 15' hose and brass handgun
- Skid base dimensions of 39" wide x 38" long x 22" high



60-Gallon Utility Vehicle Sprayer – \$1,199.00

- Fits in cargo box of most utility vehicles
- 30" high x 35" wide x 42" long
- 60-gallon poly tank
- 12-volt 4.9 gpm pump
- Double econo Boominator tips (15' right and 15' left)
- Electronic on/off right/left
- 15' hose and brass handgun



Economy model for the occasional user

ATV SPRAYERS

Molded tanks to fit the contour of an ATV and to give maximum dispersion of weight, universal mounting, and 12-volt pump

“JACKRABBIT”

24.5-gallon molded tank

WC2412HG – \$369.00

Equipped with 1.4 or 1.8 gpm pump, control switch, 15' of hose and premium handgun



WC2412FJ – \$639.00

Equipped with 3 gpm pump, control switch, 15' hose, premium handgun, single Boominator tip delivering approximately 16-20' swath, on/off valve



WC241212 – \$719.00

Equipped with 3 gpm pump, control switch, 15' hose, premium handgun, 12' folding boom with on/off valve, gauge, and pressure control



WC2412BB – \$849.00

Equipped with 4.9 gpm pump, control switch 15' hose, premium handgun, two Boominator tips producing a 30' swath (15' to right and 15' to left), and on/off right/left control valves




“COTTONTAIL”

15-gallon molded tank

WC15CT – \$824.00

Equipped with 4.9 gpm pump, control switch, 15' hose, premium handgun, two Boominator tips producing a 30' swath (15' to right and 15' to left), and on/off right/left control valves



Jackrabbit and Cottontail ATV Sprayers Options

- JD-9 handgun in place of WCH-8 handgun – Add \$95.00
- JD-9PT handgun in place of WCH-8 handgun – Add \$95.00

Hardware:

- 15' slinky hose – \$43.80
- External strainer sub-assembly – \$19.80
- Boominator mount – \$56.75
- Boominator mount & plumbing – \$95.00
- Plumbing, no nozzles – \$33.30
- Valve plate – \$62.00
- Hose hanger – \$14.58 each
- Replacement push button switch – \$9.35 each

Notes


- Tie downs and/or straps are not included
- ATV must produce 12 amps to operate 4 and 5 gpm pumps
- 12 gauge wiring to the battery is required for 4 and 5 gpm pumps
- Recommend the use of *Direct* drift retardant/deposition aid to reduce fine droplets
- Units shipped by common carrier

ORIFICE PLATE CAPACITY CHART

Regulator	Pressure	Capacity – gpm	Volume – gpm for 2 orifices
4916-30	30	0.099	0.2 gpm
4916-37	30	0.149	0.3 gpm
4916-43	30	0.200	0.4 gpm
4916-48	30	0.247	0.5 gpm
4916-52	30	0.290	0.6 gpm
4916-61	30	0.404	0.8 gpm
4916-68	30	0.496	1.0 gpm
4916-75	30	0.601	1.2 gpm
4916-81	30	0.701	1.4 gpm
4916-86	30	0.813	1.6 gpm
4916-91	30	0.905	1.8 gpm
4916-95	30	0.990	2.0 gpm
4916-98	30	1.080	2.2 gpm
4916-107	30	1.270	2.5 gpm
4916-120	30	1.540	3.0 gpm
4916-136	30	2.060	4.0 gpm
4916-151	30	2.550	5.0 gpm

MINI-AGITATOR

Double agitator kit for use on ATV and UTV sprayers with 12-volt low volume pumps. Also use where hydraulic agitation is needed but pump does not produce enough volume to use standard agitation.



WCMINI01 Nylon body \$30.20
WCMINI02 Brass body \$42.90

“JACKRABBIT” AND “COTTONTAIL” PRO ATV SPRAYERS

All the fine spray features of the standard Jackrabbit and Cottontail ATV sprayer with upgrades for the professional applicator



Jackrabbit Pro

\$1,059

Standard Jackrabbit Features:

- 24.5-gallon contoured design tank for better weight distribution and safety
- Double boomless nozzles for right or left spraying or a 30' total swath with adjustable nozzles for efficient spraying
- Right and left control valves
- 12-volt quad sensor pump

Cottontail Pro

\$1,034



Standard Jackrabbit Features:

- 15-gallon contoured design tank for better weight distribution and safety
- Double boomless nozzles for right or left spraying, or a 30' total swath with adjustable nozzles for efficient spraying
- Right and left control valves
- 12-volt quad sensor pump

Upgrades from Standard Units

- 1/4 turn ball valves under each leg allowing maximum amount of solution to be used out of the tank no matter what the terrain



- The handgun is upgraded to the JD9. Gives single hand operation for on/off and pattern control and is very convenient to use when operating the ATV



- The handgun hose is upgraded to a 15' slinky type hose giving ease of operation when operating the ATV and sprayer



- Features the upgraded 12-volt quad sensor pump. The pump has a built-in micro switch control that increases or decreases flow on nozzle demand, thus producing a near constant pressure regardless of the number of nozzles spraying. This puts less demand on the ATV battery and charging system, pump motor will have longer life, and provides excellent performance in operating boomless spray nozzles.



Agitation/Mixing Kit for Retro-Fitting 24-1/2 Gallon Jackrabbit and Jackrabbit Pro ATV Sprayers

Includes two mini agitators, bung fitting, on/off valve, all hoses and fittings. For mixing and agitating, dissolving granules, wettable powder, or flowable liquids. Valve actuates agitation system when Boominator and handgun are not in use. Harness and agitator fit inside the tank. **\$130.00**



GENERAL PURPOSE SPOT SPRAYER

Portable spray units featuring flat bottom 14 or 25 gallon poly tanks. Allows placement in pickup bed and universal mounting on ATV rack. 12 Volt on demand pump operating at 45 psi. Premium quality trigger operated spray gun with adjustable nozzle capable of straight stream or wide angle and 15' of hose.

- | | |
|---|----------|
| • 14 Gallon spot sprayer 1.0 gpm pump | \$139.00 |
| • 14 Gallon spot sprayer 1.8 gpm pump | \$189.00 |
| • 14 Gallon spot sprayer 1.8 gpm pump with two nozzle 80" swath boom | \$269.00 |
| • 25 Gallon spot sprayer 1.0 gpm pump | \$145.00 |
| • 25 Gallon spot sprayer 1.8 gpm pump | \$199.00 |
| • 25 Gallon spot sprayer 1.8 gpm with two nozzle 80" swath boom | \$289.00 |
| • 25 Gallon spot sprayer 3.0 gpm pump | \$219.00 |
| • 25 Gallon spot sprayer with 3 gpm pump, 12' swath boom, spring loaded break away hinge adjustment | \$409.00 |
| • 25 Gallon spot sprayer with 3 gpm pump and boominator nozzle.
Boominator provides up to a 16' spray pattern from a single tip. | \$382.00 |

14 GAL
Two nozzle
80" swath boom



25 GAL
144" swath boom with
break away wings



LIQUID FEED APPLICATOR FOR BALE PROCESSOR

- Universal Mount
- 75 Gallon Tank
- 1 1/2" hydraulically driven gear pump
- Pump can be used for application and self-fill
- Hydraulic flow control valve for rate adjustment
- 4-nozzle manifold
- 1 1/2" valve system for application and self-fill



\$2,490.00*

SEED TREATER

Treat your seed with this 5-gallon unit. Comes complete with cone bottom tank for complete clean out, 12-volt pump, Shurflo pump, bypass pressure adjustment, filter, gauge, hose, and nozzles.



500 ST05A \$360.00*

FORAGE APPLICATOR

- Poly Tank
- 12 Volt pump
- On/off switch
- Hose and nozzle
- General purpose for mounting on bailer or swather

- 40-gallon with on/off switch – \$439.00*
- 60-gallon with on/off switch – \$469.00*
- 40-gallon with rheostat – \$730.00*
- 60-gallon with rheostat – \$780.00*

MSC 30-NG Rheostat with 10' power cord and 15' cable, 30 amp – \$295



FIREFIGHTING UNITS




HIGH PRESSURE ECONOMY FIRE FIGHTING UNIT

300 Gallon Fiberglass Tank, Cross Baffled, 46" wide x 50" long, Darley 9 hp Honda Electric Start Pump Unit, two stage pump (120 gpm at 36 psi and 20 gpm at 144 psi) one 1.5" outlet, two 1" outlet, one 1.5" inlet, hometracs manual reel, with 100' of 1" Hose.

\$6,390.00*

HIGH VOLUME HIGH PRESSURE FIRE FIGHTING UNIT

300 Gallon Fiberglass Tank, Cross Baffled, 46" wide x 56" long, Darley 20 HP Electric Start Pump Unit with Honda V-twin engine, 6 gallon fuel tank, 2" inlet, and two 1.5" outlet, Maximum Pressure 300 psi, maximum volume 120 gpm, Unit Mounted on Steel Skid, Coxreel Manual Hose Reel, 100' of 1" Hercules fire hose and nozzle.



\$10,750.00*

Options Available:

- No reel, hose or nozzle – DEDUCT \$670.00
- 230 gallon tank in place of 300 gallon tank – DEDUCT \$370.00
- Electric hose reel (in place of manual reel) – ADD \$445.00*
- Four way hose roller guide – ADD \$207.00*
- Foam eductor .1% – 1.0% with bubble cup nozzle, 5 gallon foam tank – ADD \$1230.00*
- Lighted control panel (for Honda GX630) – ADD \$565.00*
- High volume 1.5" bypass, plumbed in unit – ADD \$340.00*
- High volume 1.5" bypass, with 2" FHT drafting capability plumbed into unit – ADD \$490.00*
- Spark arrestor kit – Add \$145.00*
- Battery bracket and battery – Add \$220.00*
- Steel skid base for economy unit – Add \$475.00*
- Guzzler hand primer – Add \$64.00*
- 15' Power lead w/30 amp breaker – Add \$52.00*

FIRE TANKS

230 gal. cross baffled fiberglass tank	\$2440.00*
300 gal. cross baffled fiberglass tank	2810.00*

REPLACEMENT TANK PARTS

• Fill Tower Cap	\$71.00*
• Fill Tower Body	92.30*
• Fill Tower Strainer	32.31*
• Fill Tower Gasket	7.15*

BAFFLED POLY FIRE FIGHTER

- Steel skid mounted
- 300-gallon black baffled poly tank
- Fits standard 8' pickup box or flatbed
- GX270 Honda electric start engine
- Direct coupled two stage pressure type centrifugal pump (120 gpm @ 36 psi and 20 gpm @ 144 psi)
- 100' of 1" booster hose
- Adjustable pattern nozzle
- 1" manual crank hose reel

\$4,055.00*



FIRST BLAST FIRE FIGHTER

Fire protection you can carry with you for initial assault on small equipment and grass fires – protecting your equipment, investment, crop, or pasture.

- General purpose mounting for combines, balers, trucks, ATV and UTV
- Portable for vehicle to vehicle
- 12 Volt 4 gpm pump
- 26 Gallons of water, 15 minutes of fire fighting
- Includes 35' of hose and handgun

\$395.00*



ECONO FIRE FIGHTER Economy standby unit for structure, prairie or forest fires

- 300 gallon low profile poly tank
- Fits in standard or short box pickup
- GC160 Honda engine
- Centrifugal pump with high-pressure impeller
- 50 psi 200 gpm, 50' 1" hose
- Manual reel
- Adjustable fire nozzle

\$1885.00*

